



PRO-TEK 922

BOILER TREATMENT FOR ALUMINIUM AND MULTI-METAL SYSTEMS

- Approved by Major Boiler Manufacturers
- Protects Aluminium, Brass, Copper, Iron, and Steel
- Non-Hazardous
- Environmentally friendly



- Prevents Scale
- Keeps Efficiency High
- Compatible with Antifreeze
- Protects Equipment during Warranty
- Packaged in convenient 4 litre containers

“Be Professional - Properly Treat The System”

MASTERS PRO-TEK 922 WILL GIVE YOUR CUSTOMERS BETTER PERFORMANCES FROM THEIR HYDRONIC SYSTEMS

PRODUCT CODE # MPT 4L

G.F. THOMPSON CO. LTD.

620 Steven Court, Unit 11, Newmarket, Ontario, L3Y 6Z2
Tel: 905-898-2557 Fax: 905-853-5571 www.gfthompson.com

MASTERS PRO-TEK 922

Hydronic Treatment Product

Product Data Sheet

DESCRIPTION:

MASTERS PRO-TEK 922 is a concentrated corrosion and scale inhibitor treatment specially formulated for hot water, closed-loop heating systems. It will prevent scale and corrosion on aluminum, copper, iron, brass, and steel. MASTERS PRO-TEK 922 has also been tested and is compatible with PEX and ONIX tubing typically used in hydronic installations.

ADVANTAGES:

When used as directed, MASTERS PRO-TEK 922 will maintain boiler efficiency and protect metal components during warranty by reducing the rate of corrosion and by preventing scale formation on heat exchange surfaces. MASTERS PRO-TEK 922 can be used to provide corrosion and scale protection to glycol treated systems. MASTERS PRO-TEK 922 is non-hazardous and environmentally friendly.

DIRECTIONS:

It is recommended that all new and used hydronic systems first be cleaned with MASTERS Hydro-Solv 9100 cleaner then thoroughly flushed until the water runs clear. Removing cutting oils will help control bacterial growth and flushing pipe cuttings, corrosion oxides and welding by-products with MASTERS Hydro-Solv 9100 will help to prevent damage to seals, zone valves, pump impellers and piping.

Once the system is cleaned and flushed, MASTERS PRO-TEK 922 should be added at the rate of ONE litre per FIFTY litres of system volume. Freshly filled systems contain lots of corrosive oxygen; therefore it is recommended that MASTERS PRO-TEK 922 be added before the system is put into service to prevent corrosion. MASTERS PRO-TEK 922 can be used to protect systems containing glycol. Add MASTERS PRO-TEK 922 corrosion and scale inhibitor treatment for long-term protection.

G.F. THOMPSON CO. LTD.

620 Steven Court, Unit 11, Newmarket, Ontario, L3Y 6Z2
Tel: 905-898-2557 Fax: 905-853-5571 www.gfthompson.com